

Class -VI Mathematics (Ex. 5.1)

Questions

1. What is the disadvantage in comparing line segments by mere observation?
2. Why is it better to use a divider than a ruler, while measuring the length of a line segment?
3. Draw any line segment, say \overline{AB} . Take any point C lying in between A and B. Measure the lengths of AB, BC and AC. Is $AB = AC + CB$?
[Note: If A, B, C are any three points on a line, such that $AC + CB = AB$, then we can be sure that C lies between A and B.]
4. If A, B, C are three points on a line such that $AB = 5$ cm, $BC = 3$ cm and $AC = 8$ cm, which one of them lies between the other two?
5. Verify whether D is the mid-point of \overline{AG} .




6. If B is the mid-point of \overline{AC} and C is the mid-point of \overline{BD} , where A, B, C, D lie on a straight line, say why $AB = CD$?
 7. Draw five triangles and measure their sides. Check in each case, if the sum of the lengths of any two sides is always less than the third side.
-

Class -VI Mathematics (Ex. 5.1)

Answers

- There may be chance of error due to improper viewing.
- It is better to use a divider than a ruler, because the thickness of the ruler may cause difficulties in reading off her length. However divider gives up accurate measurement.
- Yes.




$$AB = 6.5 \text{ cm}, AC = 3 \text{ cm}, CB = 3.5 \text{ cm}$$

$$AC + CB = 3 \text{ cm} + 3.5 \text{ cm} = 6.5 \text{ cm} = AB$$

- \overline{AC} is the longest line segment, thus B is the point between A and C.
- $AD = 3$ units, $DG = 3$ units

$$AD = DG.$$

Thus, D is the mid-point.



- B is the mid-point of \overline{AC} .

$$\therefore AB = BC \quad \dots\dots\dots(i)$$


And C is the mid-point of \overline{BD} .

$$\therefore BC = CD \quad \dots\dots\dots(ii)$$

From eq. (i) and (ii),

$$AB = CD$$

- Yes, sum of two sides of a triangle is always greater than the third side.



Class -VI Mathematics (Ex. 5.2)

Questions


1. What fraction of a clockwise revolution does the hour hand of a clock turn through, when it goes from
 - (a) 3 to 9
 - (b) 4 to 7
 - (c) 7 to 10
 - (d) 12 to 9
 - (e) 1 to 10
 - (f) 6 to 3

2. Where will the hand of a clock stop if it:
 - (a) starts at 12 and make $\frac{1}{2}$ of a revolution, clockwise?
 - (b) starts at 2 and makes $\frac{1}{2}$ of a revolution, clockwise?
 - (c) starts at 5 and makes $\frac{1}{4}$ of a revolution, clockwise?
 - (d) starts at 5 and makes $\frac{3}{4}$ of a revolution, clockwise?

3. Which direction will you face if you start facing:
 - (a) East and make $\frac{1}{2}$ of a revolution clockwise?
 - (b) East and make $1\frac{1}{2}$ of a revolution clockwise?
 - (c) West and makes $\frac{3}{4}$ of a revolution, clockwise?
 - (d) South and make one full revolution?
(Should we specify clockwise or anti-clockwise for this last question? Why not?)

4. What part of a revolution have you turned through if you stand facing:
 - (a) East and turn clockwise to face north?
 - (b) South and turn clockwise to face east?
 - (c) West and turn clockwise to face east?

5. Find the number of right angles turned through by the hour hand of a clock when it goes from:
 - (a) 3 to 6
 - (b) 2 to 8
 - (c) 5 to 11
 - (d) 10 to 1
 - (e) 12 to 9
 - (f) 12 to 6



-
6. How many right angles do you make if you start facing:
- (a) South and turn clockwise to west?
 - (b) North and turn anti-clockwise to east?
 - (c) West and turn to west?
 - (d) South and turn to north?
7. Where will the hour hand of a clock stop if it starts:
- (a) from 6 and turns through 1 right angle?
 - (b) from 8 and turns through 2 right angles?
 - (c) from 10 and turns through 3 right angles?
 - (d) from 7 and turns through 2 straight angles?
-

Class -VI Mathematics (Ex. 5.2)

Answers

1. (a) $\frac{1}{2}$ or two right angles (b) $\frac{1}{4}$ or one right angle
(c) $\frac{1}{4}$ or one right angle (d) $\frac{3}{4}$ or three right angles.
(e) $\frac{3}{4}$ or three right angles. (f) $\frac{3}{4}$ or three right angles.
2. (a) At 6 (b) At 8 (c) At 8 (d) At 2
3. (a) West (b) West (c) North (d) South
(For answer (d), it is immaterial whether we turn clockwise or anticlockwise, because one full revolution will bring us back to the original position)
4. (a) $\frac{3}{4}$ (b) $\frac{3}{4}$ (c) $\frac{1}{2}$
5. (a) One right angle (b) Two right angles
(c) Two right angles (d) One right angle
(e) Three right angles (f) Two right angles
6. (a) One right angle (b) Three right angles
(c) Four right angles (d) Two right angles
7. (a) At 9 (b) At 2 (c) At 7 (d) At 7
-


Class -VI Mathematics (Ex. 5.3)
Questions

1. Match the following:

- (i) Straight angle
- (ii) Right angle
- (iii) Acute angle
- (iv) Obtuse angle
- (v) Reflex angle

- (a) less than one-fourth a revolution
- (b) more than half a revolution
- (c) half of a revolution
- (d) one-fourth a revolution
- (e) between $\frac{1}{4}$ and $\frac{1}{2}$ of a revolution
- (f) one complete revolution

2. Classify each one of the following angles as right, straight, acute, obtuse or reflex:



Class -VI Mathematics (Ex. 5.3)





Answers

1. (i) → (c)
(ii) → (d)
(iii) → (a)
(iv) → (e)
(v) → (b)


2. (a) Acute angle
(b) Obtuse angle
(c) Right angle
(d) Reflex angle
(e) Straight angle
(f) Acute angle
-

Class -VI Mathematics (Ex. 5.4)
Questions


1. What is the measure of (i) a right angle? (ii) a straight angle?
2. Say True or False:
 - (a) The measure of an acute angle < 90 .
 - (b) The measure of an obtuse angle < 90 .
 - (c) The measure of a reflex angle > 180 .
 - (d) The measure of on complete revolution = 360 .
 - (e) If $m\angle A = 53^\circ$ and $m\angle B = 35^\circ$, then $m\angle A > m\angle B$.
3. Write down the measure of:
 - (a) some acute angles (give at least two examples of each)
 - (b) some obtuse angles
4. Measure the angles given below, using the protractor and write down the measure:




5. Which angle has a large measure? First estimate and then measure:
Measure of angle A =
Measure of angle B =




6. From these two angles which has larger measure? Estimate and then confirm by measuring them:




7. Fill in the blanks with acute, obtuse, right or straight:
- (a) An angle whose measure is less than that of a right angle is _____.
- (b) An angle whose measure is greater than that of a right angle is _____.
- (c) An angle whose measure is the sum of the measures of two right angles is _____.
- (d) When the sum of the measures of two angles is that of a right angle, then each one of them is _____.
- (e) When the sum of the measures of two angles is that of a straight angle and if one of them is acute then the other should be _____.
8. Find the measure of the angle shown in each figure. (First estimate with your eyes and then find the actual measure with a protractor).




9. Find the angle measure between the hands of the clock in each figure:



9.00 a.m.




1.00 p.m.




6.00 p.m.

10. Investigate:

In the given figure, the angle measure 30° . Look at the same figure through a magnifying glass. Does the angle becomes larger? Does the size of the angle change?



11. Measure and classify each angle:




| | | | | | | |
|---------|--------------|--------------|--------------|--------------|--------------|--------------|
| Angle | $\angle AOB$ | $\angle AOC$ | $\angle BOC$ | $\angle DOC$ | $\angle DOA$ | $\angle DOB$ |
| Measure | | | | | | |
| Type | | | | | | |


Class -VI Mathematics (Ex. 5.4)

Answers

1. (i) 90



(ii) 180



2. (a) True (b) False (c) True (d) True (e) True

3. (a) $35^\circ, 20^\circ$ (b) $110^\circ, 135^\circ$

4. (a) 40° (b) 130° (c) 90 (d) 60

5. $\angle B$ has larger measure.
 $\angle A = 40^\circ$ and $\angle B = 65^\circ$

6. Second angle has larger measure.

7. (a) acute angle (b) obtuse angle
(c) straight angle (d) acute angle
(e) obtuse angle

8. (i) 30 (ii) 120 (iii) 60 (iv) 150

9. (i) 90 (Right angle) (ii) 30 (Acute angle) (iii) 180 (Straight angle)


10. No, the measure of angle will be same.

11. Sol.

| | | | | | | |
|---------|--------------|--------------|--------------|--------------|--------------|--------------|
| Angle | $\angle AOB$ | $\angle AOC$ | $\angle BOC$ | $\angle DOC$ | $\angle DOA$ | $\angle DOB$ |
| Measure | 40 | 130 | 90 | 90 | 140 | 180 |
| Type | Acute | Obtuse | Right | Right | Obtuse | Striaight |

Class -VI Mathematics (Ex. 5.5)
Questions

1. Which of the following are models for perpendicular lines:
 - (a) The adjacent edges of a table top.
 - (b) The lines of a railway track.
 - (c) The line segments forming the letter 'L'.
 - (d) The letter V.
2. Let \overline{PQ} be the perpendicular to the line segment \overline{XY} . Let \overline{PQ} and \overline{XY} intersect in the point A. What is the measure of $\angle PAY$.
3. There are two "set-squares" in your box. What are the measures of the angles that are formed at their corners? Do they have any angle measure that is common?
4. Study the diagram. The line l is perpendicular to line m .




- (a) Is $CE = EG$?
 - (b) Does PE bisect CG ?
 - (c) Identify any two line segments for which PE is the perpendicular bisector.
 - (d) Are these true? (i) $AC > FG$ (ii) $CD = GH$ (iii) $BC < EH$
-

Class -VI Mathematics (Ex. 5.5)

Answers

- (a) Perpendicular
(b) Not perpendicular
(c) Perpendicular
(d) Not perpendicular

2. Sol.



$$\angle PAY = 90$$

- One set-square has $45, 90, 45$ and other set-square has $60, 90, 30$. They have 90 as common angle.
 - (a) Yes, both measure 2 units.
(b) Yes, because $CE = EG$
(c) \overline{DF} and $\overline{CG}, \overline{BH}$
(d) (i) True, (ii) True, (iii) True
-

Class -VI Mathematics (Ex. 5.6)

Questions


1. Name the types of following triangles:

- (a) Triangle with lengths of sides 7 cm, 8 cm and 9 cm.
- (b) $\triangle ABC$ with $AB = 8.7$ cm, $AC = 7$ cm and $BC = 6$ cm.
- (c) $\triangle PQR$ such that $PQ = QR = PR = 5$ cm.
- (d) $\triangle DEF$ with $m\angle D = 90$
- (e) $\triangle XYZ$ with $m\angle Y = 90$ and $XY = YZ$
- (f) $\triangle LMN$ with $m\angle L = 30$, $m\angle M = 70$ and $m\angle N = 80$.

2. Match the following:

- | Measure of Triangle | Types of Triangle |
|--|---------------------------|
| (i) 3 sides of equal length | (a) Scalene |
| (ii) 2 sides of equal length | (b) Isosceles right angle |
| (iii) All sides are of different length | (c) Obtuse angle |
| (iv) 3 acute angles | (d) Right angle |
| (v) 1 right angle | (e) Equilateral |
| (vi) 1 obtuse angle | (f) Acute angle |
| (vii) 1 right angle with two sides of equal length | (g) Isosceles |

3. Name each of the following triangles in two different ways: (You may judge the nature of angle by observation)



4. Try to construct triangles using match sticks. Some are shown here.

Can you make a triangle with:

(a) 3 matchsticks?


(b) 4 matchsticks?

(c) 5 matchsticks?

(d) 6 matchsticks?

(Remember you have to use all the available matchsticks in each case)

If you cannot make a triangle, think of reasons for it.




Class -VI Mathematics (Ex. 5.6)

Answers

1. (a) Scalene triangle (b) Scalene triangle
(c) Equilateral triangle (d) Right-angled triangle
(e) Isosceles right-angled triangle (f) Acute-angled triangle
2. (i) → (e), (ii) → (g), (iii) → (a), (iv) → (f), (v) → (d), (vi) → (c), (vii) → (b)
3. (a) Acute angled triangle and Isosceles triangle
(b) Right-angled triangle and Scalene triangle
(c) Obtuse-angled triangle and Isosceles triangle
(d) Right-angled triangle and Isosceles triangle
(e) Equilateral triangle and acute angled triangle
(f) Obtuse-angled triangle and scalene triangle


4. (a) 3 matchsticks

This is an acute angle triangle and it is possible with 3 matchsticks to make a triangle because sum of two sides is greater than third side.





- (b) 4 matchsticks

This is a square, hence with four matchsticks we cannot make triangle.




- (c) 5 matchsticks

This is an acute angle triangle and it is possible to make triangle with five matchsticks, in this case sum of two sides is greater than third side.



- (d) 6 matchsticks

This is an acute angle triangle and it is possible to make a triangle with the help of 6 matchsticks because sum of two sides is greater than third side.



Class -VI Mathematics (Ex. 5.7)
Questions

1. Say true or false:
 - (a) Each angle of a rectangle is a right angle.
 - (b) The opposite sides of a rectangle are equal in length.
 - (c) The diagonals of a square are perpendicular to one another.
 - (d) All the sides of a rhombus are of equal length.
 - (e) All the sides of a parallelogram are of equal length.
 - (f) The opposite sides of a trapezium are parallel.

 2. Give reasons for the following:
 - (a) A square can be thought of as a special rectangle.
 - (b) A rectangle can be thought of as a special parallelogram.
 - (c) A square can be thought of as a special rhombus.
 - (d) Squares, rectangles, parallelograms are all quadrilateral.
 - (e) Square is also a parallelogram.

 3. A figure is said to be regular if its sides are equal in length and angles are equal in measure. Can you identify the regular quadrilateral?
-

Class -VI Mathematics (Ex. 5.7)


Answers

1. (a) True (b) True
(c) True (d) True
(e) False (f) False
2. (a) Because its all angles are right angle and opposite sides are equal.
(b) Because its opposite sides are equal and parallel.
(c) Because its four sides are equal and diagonals are perpendicular to each other.
(d) Because all of them have four sides.
(e) Because its opposite sides are equal and parallel.
3. A square is a regular quadrilateral.
-


Class -VI Mathematics (Ex. 5.8)

Questions


1. Examine whether the following are polygons. If anyone among these is not, say why?




(a)



(b)




(c)




(d)


2. Name each polygon:




(a)



(b)



(c)



(d)

3. Draw a rough sketch of a regular hexagon. Connecting any three of its vertices, draw a triangle. Identify the type of the triangle you have drawn.
4. Draw a rough sketch of a regular octagon. (Use squared paper if you wish). Draw a rectangle by joining exactly four of the vertices of the octagon.
5. A diagonal is a line segment that joins any two vertices of the polygon and is not a side of the polygon. Draw a rough sketch of a pentagon and draw its diagonals.
-


Class -VI Mathematics (Ex. 5.8)

Answers


1. (a) As it is not a closed figure, therefore, it is not a polygon.
(b) It is a polygon because it is closed by line segments.
(c) It is not a polygon because it is not made by line segments.
(d) It is not a polygon because it not made only by line segments, it has curved surface also.

2. (a) Quadrilateral (b) Triangle
(c) Pentagon (d) Octagon


3. ABCDEF is a regular hexagon and triangle thus formed by joining AEF is an isosceles triangle.



4. ABCDEFGH is a regular octagon and CDGH is a rectangle.



5. ABCDE is the required pentagon and its diagonals are AD, AC, BE and BD.




Class -VI Mathematics (Ex. 5.9)
Questions

1. Match the following:

(a) Cone

(i)




(b) Sphere

(ii)




(c) Cylinder

(iii)




(d) Cuboid

(iv)



(e) Pyramid

(v)



Give two example of each shape.

2. What shape is:

- (a) Your instrument box?
- (b) A brick?
- (c) A match box?
- (d) A road-roller?
- (e) A sweet laddu?

Class -VI Mathematics (Ex. 5.9)
Answers

1. Sol.


(a) Cone

(ii)




(b) Sphere

(iv)




(c) Cylinder

(v)




(d) Cuboid

(iii)



(e) Pyramid

(i)



2. (a) Cuboid
(b) Cuboid
(c) Cuboid
(d) Cylinder
(e) Sphere
-