Chapter 15: Properties of Triangles Exercise – 15.1



(iv) AC

Question: 2

Take three collinear points A, B and C on a page of your note book. Join AB. BC and CA. Is the figure a triangle? If not, why?



Solution:

No, the figure is not a triangle. By definition a triangle is a plane figure formed by three nonparallel line segments

Question: 3

Distinguish between a triangle and its triangular region.

Solution:

A triangle is a plane figure formed by three non-parallel line segments, whereas, its triangular region includes the interior of the triangle along with the triangle itself.

Question: 4

D is a point on side BC of a \triangle CAD is joined. Name all the triangles that you can observe in the figure. How many are they?



Solution:

We can observe the following three triangles in the given figure

(i) ∆ABC

(ii) ∆ACD

(iii) ∆ADB

Question: 5

A, B. C and D are four points, and no three points are collinear. AC and BD intersed at O. There are eight triangles that you can observe. Name all the triangles



Solution:

(i) ∆ABC

- (ii) ∆ABD
- (iii) ∆ABO
- (iv) $\triangle BCD$
- (v) ∆DCO
- (vi) ∆AOD
- (vii) ∆ACD
- (viii) ∆BCD

Question: 6

What is the difference between a triangle and triangular region?

Solution:

Plane of figure formed by three non-parallel line segments is called a triangle where as triangular region is the interior of triangle ABC together with the triangle ABC itself is called the triangular region ABC

Question: 7

Explain the following terms:

- (i) Triangle
- (a) Parts or elements of a triangle
- (iii) Scalene triangle
- (iv) Isosceles triangle
- (v) Equilateral triangle
- (vi) Acute triangle
- (vii) Right triangle
- (viii) Obtuse triangle
- (ix) Interior of a triangle
- (x) Exterior of a triangle

Solution:

(i) A triangle is a plane figure formed by three non-parallel line segments.

(ii) The three sides and the three angles of a triangle are together known as the parts or elements of that triangle.

(iii) A scalene triangle is a triangle in which no two sides are equal.



(iv) An isosceles triangle is a triangle in which two sides are equal. Isosceles triangle



(v) An equilateral triangle is a triangle in which all three sides are equal. Equilateral triangle



(vi) An acute triangle is a triangle in which all the angles are acute (less than 90°).



(vii) A right angled triangle is a triangle in which one angle is right angled, i.e. 90°.



(viii) An obtuse triangle is a triangle in which one angle is obtuse (more than 90°).



(ix) The interior of a triangle is made up of all such points that are enclosed within the triangle.

(x) The exterior of a triangle is made up of all such points that are not enclosed within the triangle.

Question: 8

In Figure, the length (in cm) of each side has been indicated along the side. State for each triangle angle whether it is scalene, isosceles or equilateral:



Solution:

- (i) This triangle is a scalene triangle because no two sides are equal.
- (ii) This triangle is an isosceles triangle because two of its sides, viz. PQ and PR, are equal.
- (iii) This triangle is an equilateral triangle because all its three sides are equal.
- (iv) This triangle is a scalene triangle because no two sides are equal.
- (v) This triangle is an isosceles triangle because two of its sides are equal.

Question: 9

There are five triangles. The measures of some of their angles have been indicated. State for each triangle whether it is acute, right or obtuse.



Solution:

- (i) This is a right triangle because one of its angles is 90°.
- (ii) This is an obtuse triangle because one of its angles is 120°, which is greater than 90°.
- (iii) This is an acute triangle because all its angles are acute angles (less than 90°).
- (iv) This is a right triangle because one of its angles is 90°.
- (v) This is an obtuse triangle because one of its angles is 110°, which is greater than 90°.

Question: 10

Fill in the blanks with the correct word/symbol to make it a true statement:

(i) A triangle has _____ sides.

- (ii) A triangle has _____ vertices.
- (iii) A triangle has _____ angles.
- (iv) A triangle has _____ parts.
- (v) A triangle whose no two sides are equal is known as _____
- (v0 A triangle whose two sides are equal is known as _____
- (vii) A triangle whose all the sides are equal is known as ____
- (viii) A triangle whose one angle is a right angle is known as _____
- (ix) A triangle whose all the angles are of measure less than 90' is known as _____
- (x) A triangle whose one angle is more than 90' is known as _____

Solution:

- (i) three
- (ii) three
- (iii) three
- (iv) six (three sides + three angles)
- (v) a scalene triangle
- (vi) an isosceles triangle
- (vii) an equilateral triangle
- (viii) a right triangle
- (ix) an acute triangle
- (x) an obtuse triangle

Question: 11

In each of the following, state if the statement is true (T) or false (F):

- (i) A triangle has three sides.
- (ii) A triangle may have four vertices.
- (iii) Any three line-segments make up a triangle.
- (iv) The interior of a triangle includes its vertices.
- (v) The triangular region includes the vertices of the corresponding triangle.
- (vi) The vertices of a triangle are three collinear points.
- (vii) An equilateral triangle is isosceles also.
- (viii) Every right triangle is scalene.
- (ix) Each acute triangle is equilateral.
- (x) No isosceles triangle is obtuse.

Solution:

- (i) True.
- (ii) False. A triangle has three vertices.
- (iii) False. Any three non-parallel line segments can make up a triangle.
- (iv) False. The interior of a triangle is the region enclosed by the triangle and the vertices are not enclosed by the triangle.
- (v) True. The triangular region includes the interior region and the triangle itself.
- (vi) False. The vertices of a triangle are three non-collinear points.
- (vii) True. In an equilateral triangle, any two sides are equal.
- (viii) False. A right triangle can also be an isosceles triangle.
- (ix) False. Each acute triangle is not an equilateral triangle, but each equilateral triangle is an acute triangle.

(x) False. An isosceles triangle can be an obtuse triangle, a right triangle or an acute triangle

Chapter 15: Properties of Triangles Exercise – 15.4

Question: 1

In each of the following, there are three positive numbers. State if these numbers could possibly be the lengths of the sides of a triangle:

(i) 5, 7, 9

(ii) 2, 10.15

(iii) 3, 4, 5

(iv) 2, 5, 7

(v) 5, 8, 20

Solution:

(i) Yes, these numbers can be the lengths of the sides of a triangle because the sum of any two sides of a triangle is always greater than the third side. Here, 5 + 7 > 9, 5 + 9 > 7, 9 + 7 > 5

(ii) No, these numbers cannot be the lengths of the sides of a triangle because the sum of any two sides of a triangle is always greater than the third side, which is not true in this case.

(iii) Yes, these numbers can be the lengths of the sides of a triangle because the sum of any two sides of triangle is always greater than the third side. Here, 3 + 4 > 5, 3 + 5 > 4, 4 + 5 > 3

(iv) No, these numbers cannot be the lengths of the sides of a triangle because the sum of any two sides of a triangle is always greater than the third side, which is not true in this case. Here, 2 + 5 = 7

(v) No, these numbers cannot be the lengths of the sides of a triangle because the sum of any two sides of a triangle is always greater than the third side, which is not true in this case. Here, 5 + 8 < 20

Question: 2

In Fig, P is the point on the side BC. Complete each of the following statements using symbol '=',' > 'or '< 'so as to make it true:

(i) AP... AB+ BP

(ii) AP... AC + PC

(iii) AP.... 1/2(AB + AC + BC)



Solution:

(i) In triangle APB, AP < AB + BP because the sum of any two sides of a triangle is greater than the third side.

(ii) In triangle APC, AP < AC + PC because the sum of any two sides of a triangle is greater than the third side.

(iii) AP < 12(AB + AC + BC) In triangles ABP and ACP, we can see that:

AP < AB + BP...(i) (Because the sum of any two sides of a triangle is greater than the third side)

AP < AC + PC...(ii) (Because the sum of any two sides of a triangle is greater than the third side)

On adding (i) and (ii), we have:

AP + AP < AB + BP + AC + PC

2AP < AB + AC + BC (BC = BP + PC)

AP < (AB - FAC + BC)

Question: 3

P is a point in the interior of $\triangle ABC$ as shown in Fig. State which of the following statements are true (T) or false (F):

(i) AP + PB < AB

(ii) AP + PC > AC

(iii) BP + PC = BC

Solution:

(i) False

We know that the sum of any two sides of a triangle is greater than the third side: it is not true for the given triangle.

(ii) True

We know that the sum of any two sides of a triangle is greater than the third side: it is true for the given triangle.

(iii) False

We know that the sum of any two sides of a triangle is greater than the third side: it is not true for the given triangle.

Question: 4

O is a point in the exterior of \triangle ABC. What symbol '>','<' or '=' will you see to complete the statement OA+OB....AB? Write two other similar statements and show that

OA + OB + OC > 1/2(AB + BC + CA)

Solution:

Because the sum of any two sides of a triangle is always greater than the third side, in triangle OAB, we have:

OA + OB > AB - (i) OB + OC > BC - (ii) OA + OC > CA - (iii) On adding equations (i), (ii) and (iii) we get: OA + OB + OB + OC + OA + OC > AB + BC + CA 2(OA + OB + OC) > AB + BC + CAOA + OB + OC > (AB + BC + CA)/2

Question: 5

In $\triangle ABC$, $\angle B = 30^{\circ}$, $\angle C = 50^{\circ}$. Name the smallest and the largest sides of the triangle.

Solution:

Because the smallest side is always opposite to the smallest angle, which in this case is 30° , it is AC. Also, because the largest side is always opposite to the largest angle, which in this case is 100° , it is BC.

Chapter 15: Properties of Triangles Exercise – 15.3

Question: 1

 $_{\scriptscriptstyle \angle} \text{CBX}$ is an exterior angle of ${\scriptstyle \bigtriangleup} \text{ABC}$ at B. Name

(i) the interior adjacent angle

(ii) the interior opposite angles to exterior $\angle CBX$

Also, name the interior opposite angles to an exterior angle at A.



Solution:

(i) ∠ABC

(ii) \angle BAC and \angle ACB

Also the interior angles opposite to exterior are $\angle ABC$ and $\angle ACB$

Question: 2

In the fig, two of the angles are indicated. What are the measures of ∠ACX and ∠ACB?



Solution:

In $\triangle ABC$, $\angle A = 50^{\circ}$ and $\angle B = 55^{\circ}$

Because of the angle sum property of the triangle, we can say that

 $\angle A + \angle B + \angle C = 180^{\circ}$ $50^{\circ} + 55^{\circ} + \angle C = 180^{\circ}$ Or $\angle C = 75^{\circ}$ $\angle ACB = 75^{\circ}$ $\angle ACX = 180^{\circ} - \angle ACB = 180^{\circ} - 75^{\circ} = 105^{\circ}$

Question: 3

In a triangle, an exterior angle at a vertex is 95° and its one of the interior opposite angles is 55°. Find all the angles of the triangle.



Solution:

We know that the sum of interior opposite angles is equal to the exterior angle.

Hence, for the given triangle, we can say that:

 $\angle ABC + \angle BAC = \angle BCO$ $55^{\circ} + \angle BAC = 95^{\circ}$ Or, $\angle BAC = 95^{\circ} - 95^{\circ}$ $= \angle BAC = 40^{\circ}$ We also know that the sum of all angles of a triangle is 180°. Hence, for the given $\triangle ABC$, we can say that: $\angle ABC + \angle BAC + \angle BCA = 180^{\circ}$ $55^{\circ} + 40^{\circ} + \angle BCA = 180^{\circ}$ Or, $\angle BCA = 180^{\circ} - 95^{\circ}$

= ∠BCA = 85°

Question: 4

One of the exterior angles of a triangle is 80°, and the interior opposite angles are equal to each other. What is the measure of each of these two angles?

Solution:

Let us assume that A and B are the two interior opposite angles.

We know that $\angle A$ is equal to $\angle B$.

We also know that the sum of interior opposite angles is equal to the exterior angle.

Hence, we can say that:

∠A + ∠B = 80°

Or,

∠A +∠A = 80° (∠A= ∠B)

∠A = 40/2 =40°

∠A= ∠B = 40°

Thus, each of the required angles is of 40°.

Question: 5

The exterior angles, obtained on producing the base of a triangle both ways are 104° and 136° . Find all the angles of the triangle.



Solution:

In the given figure, ∠ABE and ∠ABC form a linear pair.

∠ABE + ∠ABC =180°

∠ABC = 180°- 136°

∠ABC = 44°

We can also see that $\angle ACD$ and $\angle ACB$ form a linear pair.

 $\angle ACD + \angle ACB = 180^{\circ}$

∠AUB = 180°- 104°

∠ACB = 76°

We know that the sum of interior opposite angles is equal to the exterior angle.

Therefore, we can say that:

 $\angle BAC + \angle ABC = 104^{\circ}$

∠BAC = 104°- 44° = 60°

Thus,

 $\angle ACE = 76^{\circ} \text{ and } \angle BAC = 60^{\circ}$

Question: 6

In Fig, the sides BC, CA and BA of a \triangle ABC have been produced to D, E and F respectively. If $_{2}$ ACD = 105° and $_{2}$ EAF = 45°; find all the angles of the \triangle ABC



Solution:

In a ${\bigtriangleup}ABC, \ {\scriptstyle \angle}BAC$ and ${\scriptstyle \angle}EAF$ are vertically opposite angles.

Hence, we can say that:

 $\angle BAC = \angle EAF = 45^{\circ}$

Considering the exterior angle property, we can say that:

 $\angle BAC + \angle ABC = \angle ACD = 105^{\circ}$

∠ABC = 105°-45° = 60°

Because of the angle sum property of the triangle, we can say that:

 $\angle ABC + \angle ACS + \angle BAC = 180^{\circ}$

∠ACB = 75°

Therefore, the angles are 45°, 65° and 75°.

Question: 7

In Figure, AC perpendicular to CE and C ∠A: ∠B: ∠C= 3: 2: 1. Find the value of ∠ECD.



Solution:

In the given triangle, the angles are in the ratio 3: 2: 1.

Let the angles of the triangle be 3x, 2x and x.

Because of the angle sum property of the triangle, we can say that:

```
3x + 2x + x = 180^{\circ}

6x = 180^{\circ}

Or,

x = 30^{\circ} \dots (i)

Also, \angle ACB + \angle ACE + \angle ECD = 180^{\circ}

x + 90^{\circ} + \angle ECD = 180^{\circ} (\angle ACE = 90^{\circ})

\angle ECD = 60^{\circ} [From (i)]
```

Question: 8

A student when asked to measure two exterior angles of $\triangle ABC$ observed that the exterior angles at A and B are of 103° and 74° respectively. Is this possible? Why or why not?

Solution:

Here,

Internal angle at A + External angle at A = 180°

Internal angle at A + 103° =180°

Internal angle at A = 77°

Internal angle at B + External angle at B = 180°

Internal angle at B + 74° = 180°

Internal angle at $B = 106^{\circ}$

Sum of internal angles at A and B = 77° + 106° =183°

It means that the sum of internal angles at A and B is greater than 180°, which cannot be possible.

Question: 9

In Figure, AD and CF are respectively perpendiculars to sides BC and AB of \triangle ABC. If $_{2}$ FCD = 50°, find $_{2}$ BAD



Solution:

We know that the sum of all angles of a triangle is 180°

Therefore, for the given \triangle FCB, we can say that:

 \angle FCB + \angle CBF + \angle BFC = 180° 50° + \angle CBF + 90° = 180° Or, \angle CBF = 180° - 50° - 90° = 40° ... (i) Using the above rule for \triangle ABD, we can say that: \angle ABD + \angle BDA + \angle BAD = 180° \angle BAD = 180° - 90° - 40° = 50° [from (i)]

Question: 10

In Figure, measures of some angles are indicated. Find the value of x.



Solution:

```
Here,
```

```
∠AED + 120° = 180° (Linear pair)
```

∠AED = 180°- 120° = 60°

We know that the sum of all angles of a triangle is 180°.

Therefore, for $\triangle ADE$, we can say that:

 $\angle ADE + \angle AED + \angle DAE = 180^{\circ}$

60°+ ∠ADE + 30° =180°

Or,

∠ADE = 180°- 60°- 30° = 90°

From the given figure, we can also say that:

∠FDC + 90° = 180° (Linear pair)

∠FDC = 180°- 90° = 90°

Using the above rule for $\triangle \text{CDF},$ we can say that:

 $\angle CDF + \angle DCF + \angle DFC = 180^{\circ}$

90° + ∠DCF + 60° =180°

∠DCF = 180°-60°- 90°= 30°

Also,

 $\angle DCF + x = 180^{\circ}$ (Linear pair)

 $30^{\circ} + x = 180^{\circ}$

Or,

 $x = 180^{\circ} - 30^{\circ} = 150^{\circ}$

Question: 11

In Figure, ABC is a right triangle right angled at A. D lies on BA produced and DE perpendicular to BC intersecting AC at F. If $\angle AFE = 130^{\circ}$, find

(i) ∠BDE



Solution:

(i) Here,

 $\angle BAF + \angle FAD = 180^{\circ}$ (Linear pair)

```
∠FAD = 180°- ∠BAF = 180°- 90° = 90°
```

Also,

 $\angle AFE = \angle ADF + \angle FAD$ (Exterior angle property)

∠ADF + 90° = 130°

∠ADF = 130°- 90° = 40°

(ii) We know that the sum of all the angles of a triangle is 180°.

Therefore, for $\triangle BDE$, we can say that:

 $\angle BDE + \angle BED + \angle DBE = 180^{\circ}$.

∠DBE = 180°- ∠BDE ∠BED = 180°- 90°- 40°= 50° - (i)

Also,

 \angle FAD = \angle ABC + \angle ACB (Exterior angle property)

90° = 50° + ∠ACB

Or,

∠ACB = 90°- 50° = 40°

(iii) $\angle ABC = \angle DBE = 50^{\circ} [From (i)]$

Question: 12

ABC is a triangle in which $_{\angle}B = _{\angle}C$ and ray AX bisects the exterior angle DAC. If $_{\angle}DAX = 70^{\circ}$. Find $_{\angle}ACB$.



Solution:

Here,

 \angle CAX = \angle DAX (AX bisects \angle CAD)

∠CAX =70°

 $_{\angle}CAX +_{\angle}DAX + _{\angle}CAB = 180^{\circ}$

70°+ 70° + ∠CAB =180°

∠CAB =180° –140°

∠CAB =40°

 $\angle ACB + \angle CBA + \angle CAB = 180^{\circ}$ (Sum of the angles of $\triangle ABC$)

∠ACB + ∠ACB+ 40° = 180° (∠C = ∠B) 2∠ACB = 180°- 40° ∠ACB = 140/2 ∠ACB = 70°

Question: 13

The side BC of \triangle ABC is produced to a point D. The bisector of \angle A meets side BC in L. If \angle ABC= 30° and \angle ACD = 115°, find \angle ALC



Solution:

 \angle ACD and \angle ACL make a linear pair.

 $\angle ACD + \angle ACB = 180^{\circ}$

115° + ∠ACB =180°

∠ACB = 180°- 115°

We know that the sum of all angles of a triangle is 180°.

Therefore, for $\triangle ABC$, we can say that:

 $\angle ABC + \angle BAC + \angle ACB = 180^{\circ}$

30° + ∠BAC + 65° = 180°

Or,

∠BAC = 85°

∠LAC = ∠BAC/2 = 85/2

Using the above rule for ${\scriptstyle \Delta}\text{ALC},$ we can say that:

 \angle ALC + \angle LAC + \angle ACL = 180°

$$\angle ALC + \frac{82^{\circ}}{2} + 65^{\circ} = 180^{\circ} (\angle ACL = \angle ACB)$$

Or,

$$\angle ALC$$
= 180° - $\frac{85^{\circ}}{2}$ - 65°
 $\angle ALC$ = $\frac{145^{\circ}}{2}$ = 72 $\frac{1}{2}^{\circ}$

Question: 14

D is a point on the side BC of \triangle ABC. A line PDQ through D, meets side AC in P and AB produced at Q. If $_{\angle}A = 80^{\circ}$, $_{\angle}ABC = 60^{\circ}$ and $_{\angle}PDC = 15^{\circ}$, find (i) $_{\angle}AQD$

(ii) ∠APD



Solution:

∠ABD and ∠QBD form a linear pair. ∠ABC + ∠QBC =180° 60° + ∠QBC = 180° ∠QBC = 120° \angle PDC = \angle BDQ (Vertically opposite angles) ∠BDQ = 75° In ∆QBD: \angle QBD + \angle QDB + \angle BDQ = 180° (Sum of angles of \triangle QBD) 120°+ 15° + ∠BQD = 180° ∠BQD = 180°- 135° ∠BQD = 45° $\angle AQD = \angle BQD = 45^{\circ}$ In ∆AQP: \angle QAP + \angle AQP + \angle APQ = 180° (Sum of angles of \triangle AQP) 80° + 45° + ∠APQ = 180° ∠APQ = 55° ∠APD = ∠APQ

Question: 15

Explain the concept of interior and exterior angles and in each of the figures given below. Find x and y



Solution:

The interior angles of a triangle are the three angle elements inside the triangle.

The exterior angles are formed by extending the sides of a triangle, and if the side of a triangle is produced, the exterior angle so formed is equal to the sum of the two interior opposite angles.

Using these definitions, we will obtain the values of x and y.

(I) From the given figure, we can see that:

```
∠ACB + x = 180° (Linear pair)
75^{\circ} + x = 180^{\circ}
Or,
x = 105°
We know that the sum of all angles of a triangle is 180°.
Therefore, for \triangle ABC, we can say that:
∠BAC+ ∠ABC +∠ACB = 180°
40^{\circ} + y + 75^{\circ} = 180^{\circ}
Or,
y = 65°
(ii) x + 80°= 180° (Linear pair)
= x = 100°
In ∆ABC:
x+y+30^{\circ} = 180^{\circ} (Angle sum property)
100^{\circ} + 30^{\circ} + y = 180^{\circ}
= y = 50°
(iii) We know that the sum of all angles of a triangle is 180°.
Therefore, for \triangle ACD, we can say that:
30^{\circ} + 100^{\circ} + y = 180^{\circ}
Or,
```

.,

```
y = 50°
```

∠ACB + 100° = 180°

 $\angle ACB = 80^{\circ} \dots (i)$ Using the above rule for $\triangle ACD$, we can say that: $x + 45^{\circ} + 80^{\circ} = 180^{\circ}$ $= x = 55^{\circ}$ (iv) We know that the sum of all angles of a triangle is 180°. Therefore, for $\triangle DBC$, we can say that: $30^{\circ} + 50^{\circ} + \angle DBC = 180^{\circ}$ $\angle DBC = 100^{\circ}$ $x + \angle DBC = 180^{\circ}$ (Linear pair) $x = 80^{\circ}$ And,

 $y = 30^{\circ} + 80^{\circ} = 110^{\circ}$ (Exterior angle property)

Question: 16

Compute the value of x in each of the following figures





Solution:

(i) From the given figure, we can say that:

∠ACD + ∠ACB = 180° (Linear pair)

Or,

∠ACB = 180°- 112° = 68°

We can also say that:

∠BAE + ∠BAC = 180° (Linear pair)

Or,

∠BAC = 180°- 120° = 60°

We know that the sum of all angles of a triangle is 180°.

Therefore, for ∆ABC:

 $x + \angle BAC + \angle ACB = 180^{\circ}$

 $x = 180^{\circ} - 60^{\circ} - 68^{\circ} = 52^{\circ}$

(ii) From the given figure, we can say that:

∠ABC + 120° = 180° (Linear pair)

```
∠ABC = 60°
```

```
We can also say that:
```

```
∠ACB+ 110° = 180° (Linear pair)
```

∠ACB = 70°

We know that the sum of all angles of a triangle is 180°.

Therefore, for $\triangle ABC$:

x + ∠ABC + ∠ACB = 180°

x = 50°

(iii) From the given figure, we can see that:

 \angle BAD = \angle ADC = 52° (Alternate angles)

We know that the sum of all the angles of a triangle is 180°.

Therefore, for $\triangle DEC$:

 $x + 40^{\circ} + 52^{\circ} = 180^{\circ}$

= x = 88°

(iv) In the given figure, we have a quadrilateral whose sum of all angles is 360°.

Thus,

```
35^{\circ} + 45^{\circ} + 50^{\circ} + \text{reflex} \angle \text{ADC} = 360^{\circ}
```

Or,

reflex ∠ADC = 230°

```
230^{\circ} + x = 360^{\circ} (A complete angle)
```

```
= x = 130°
```

Chapter 15: Properties of Triangles Exercise – 15.2

Question: 1

Two angles of a triangle are of measures 150° and 30°. Find the measure of the third angle.

Solution:

Let the third angle be x Sum of all the angles of a triangle = 180° $105^{\circ} + 30^{\circ} + x = 180^{\circ}$ $135^{\circ} + x = 180^{\circ}$ $x = 180^{\circ} - 135^{\circ}$ $x = 45^{\circ}$ Therefore the third angle is 45°

Question: 2

One of the angles of a triangle is 130°, and the other two angles are equal. What is the measure of each of these equal angles?

Solution:

Let the second and third angle be x

Sum of all the angles of a triangle = 180°

 $130^{\circ} + x + x = 180^{\circ}$ $130^{\circ} + 2x = 180^{\circ}$ $2x = 180^{\circ} - 130^{\circ}$

2x = 50°

x = 50/2

x = 25°

Therefore the two other angles are 25° each

Question: 3

The three angles of a triangle are equal to one another. What is the measure of each of the angles?

Solution:

Let the each angle be x

Sum of all the angles of a triangle =180°

 $x + x + x = 180^{\circ}$

3x = 180°

x = 180/3

 $x = 60^{\circ}$

Therefore angle is 60° each

Question: 4

If the angles of a triangle are in the ratio 1: 2: 3, determine three angles.

Solution:

If angles of the triangle are in the ratio 1: 2: 3 then take first angle as 'x', second angle as '2x' and third angle as '3x'

Sum of all the angles of a triangle=180°

 $x + 2x + 3x = 180^{\circ}$ $6x = 180^{\circ}$ x = 180/6 $x = 30^{\circ}$ $2x = 30^{\circ} \times 2 = 60^{\circ}$ $3x = 30^{\circ} \times 3 = 90^{\circ}$

Therefore the first angle is 30°, second angle is 60° and third angle is 90°

Question: 5

The angles of a triangle are (x – 40) °, (x – 20) ° and (1/2 – 10) °. Find the value of x.

Solution:

Sum of all the angles of a triangle= 180°

$$(x - 40)^{\circ} + (x - 20)^{\circ} + (\frac{x}{2} - 10)^{\circ} = 180^{\circ}$$

 $x + x + \frac{x}{2} - 40^{\circ} - 20^{\circ} - 10^{\circ} = 180^{\circ}$
 $x + x + \frac{x}{2} - 70^{\circ} = 180^{\circ}$
 $x + x + \frac{x}{2} = 180^{\circ} + 70^{\circ}$
 $\frac{5x}{2} = 250^{\circ}$
 $x = \frac{2}{5} \times 250^{\circ}$
 $x = 100^{\circ}$

Hence we can conclude that x is equal to 100°

Question: 6

The angles of a triangle are arranged in ascending order of magnitude. If the difference between two consecutive angles is 10°. Find the three angles.

Solution:

Let the first angle be x Second angle be $x + 10^{\circ}$ Third angle be $x + 10^{\circ} + 10^{\circ}$ Sum of all the angles of a triangle = 180° $x + x + 10^{\circ} + x + 10^{\circ} + 10^{\circ} = 180^{\circ}$ 3x + 30 = 1803x + 30 = 1803x = 180 - 303x = 150x = 150/3 $x = 50^{\circ}$ First angle is 50° Second angle $x + 10^{\circ} = 50 + 10 = 60^{\circ}$ Third angle $x + 10^{\circ} + 10^{\circ} = 50 + 10 + 10 = 70^{\circ}$

Question: 7

Two angles of a triangle are equal and the third angle is greater than each of those angles by 30°. Determine all the angles of the triangle

Solution:

Let the first and second angle be x

The third angle is greater than the first and second by $30^{\circ} = x + 30^{\circ}$

The first and the second angles are equal

Sum of all the angles of a triangle = 180°

 $x + x + x + 30^{\circ} = 180^{\circ}$

3x + 30 = 180

3x = 180 - 30

3x = 150

x = 150/3

x = 50°

Third angle = $x + 30^{\circ} = 50^{\circ} + 30^{\circ} = 80^{\circ}$

The first and the second angle is 50° and the third angle is 80°

Question: 8

If one angle of a triangle is equal to the sum of the other two, show that the triangle is a right triangle.

Solution:

One angle of a triangle is equal to the sum of the other two

x = y + z

Let the measure of angles be x, y, z

 $x + y + z = 180^{\circ}$

x + x = 180°

2x = 180°

x = 180/2

x = 90°

If one angle is 90° then the given triangle is a right angled triangle

Question: 9

If each angle of a triangle is less than the sum of the other two, show that the triangle is acute angled.

Solution:

Each angle of a triangle is less than the sum of the other two

Measure of angles be x, y and z

x > y + z

y < x + z

z < x + y

Therefore triangle is an acute triangle

Question: 10

In each of the following, the measures of three angles are given. State in which cases the angles can possibly be those of a triangle:

(i) 63°, 37°, 80°
(ii) 45°, 61°, 73°
(iii) 59°, 72°, 61°

(iv) 45°, 45°, 90° (v) 30°, 20°, 125°

Solution:

(i) 63° , 37° , $80^{\circ} = 180^{\circ}$ Angles form a triangle (ii) 45° , 61° , 73° is not equal to 180° Therefore not a triangle (iii) 59° , 72° , 61° is not equal to 180° Therefore not a triangle (iv) 45° , 45° , $90^{\circ} = 180^{\circ}$ Angles form a triangle (v) 30° , 20° , 125° is not equal to 180° Therefore not a triangle

Question: 11

The angles of a triangle are in the ratio 3: 4: 5. Find the smallest angle

Solution:

Given that Angles of a triangle are in the ratio: 3: 4: 5 Measure of the angles be 3x, 4x, 5xSum of the angles of a triangle =180° 3x + 4x + 5x = 180°12x = 180°x = 180/12x = 15°Smallest angle = 3x= $3 \times 15°$

= 45°

Question: 12

Two acute angles of a right triangle are equal. Find the two angles.

Solution:

Given acute angles of a right angled triangle are equal

Right triangle: whose one of the angle is a right angle

Measured angle be x, x, 90°

x + x + 180°= 180°

2x = 90°

x = 90/2

x = 45°

The two angles are 45° and 45°

Question: 13

One angle of a triangle is greater than the sum of the other two. What can you say about the measure of this angle? What type of a triangle is this?

Solution:

Angle of a triangle is greater than the sum of the other two

Measure of the angles be x, y, z x > y + z or y > x + z or z > x + yx or y or $z > 90^{\circ}$ which is obtuse Therefore triangle is an obtuse angle

Question: 14

AC, AD and AE are joined. Find

∠FAB + ∠ABC + ∠BCD + ∠CDE + ∠DEF + ∠EFA

∠FAB + ∠ABC + ∠BCD + ∠CDE + ∠DEF + ∠EFA

Solution:

We know that sum of the angles of a triangle is 180°

Therefore in $\triangle ABC$, we have



Therefore ∠FAB + ∠ABC + ∠BCD + ∠CDE + ∠DEF + ∠EFA = 720°

Question: 15

Find x, y, z (whichever is required) from the figures given below:



Solution:

(i) In $\triangle ABC$ and $\triangle ADE$ we have:

∠ADE = ∠ABC (corresponding angles)

```
x = 40^{\circ}
\angle AED = \angle ACB (corresponding angles)
y = 30^{\circ}
We know that the sum of all the three angles of a triangle is equal to 180°
x + y + z = 180^{\circ} (Angles of \triangle ADE)
Which means: 40^{\circ} + 30^{\circ} + z = 180^{\circ}
z = 180° - 70°
z = 110°
Therefore, we can conclude that the three angles of the given triangle are 40°, 30° and 110°.
(ii) We can see that in \triangle ADC, \angle ADC is equal to 90°.
(\Delta ADC \text{ is a right triangle})
We also know that the sum of all the angles of a triangle is equal to 180°.
Which means: 45^{\circ} + 90^{\circ} + y = 180^{\circ} (Sum of the angles of \triangle ADC)
135^{\circ} + y = 180^{\circ}
y = 180^{\circ} - 135^{\circ}.
y = 45°.
We can also say that in \triangle ABC, \angle ABC + \angle ACB + \angle BAC is equal to 180°.
(Sum of the angles of \triangle ABC)
40^{\circ} + y + (x + 45^{\circ}) = 180^{\circ}
40^{\circ} + 45^{\circ} + x + 45^{\circ} = 180^{\circ} (y = 45°)
x = 180^{\circ} - 130^{\circ}
x = 50^{\circ}
Therefore, we can say that the required angles are 45° and 50°.
(iii) We know that the sum of all the angles of a triangle is equal to 180°.
Therefore, for \triangle ABD:
\angle ABD + \angle ADB + \angle BAD = 180^{\circ} (Sum of the angles of \triangle ABD)
50^{\circ} + x + 50^{\circ} = 180^{\circ}
100^{\circ} + x = 180^{\circ}
x = 180^{\circ} - 100^{\circ}
x = 80°
For ∆ABC:
\angle ABC + \angle ACB + \angle BAC = 180^{\circ} (Sum of the angles of \triangle ABC)
50^{\circ} + z + (50^{\circ} + 30^{\circ}) = 180^{\circ}
50^{\circ} + z + 50^{\circ} + 30^{\circ} = 180^{\circ}
z = 180^{\circ} - 130^{\circ}
z = 50°
Using the same argument for \triangle ADC:
\angle ADC + \angle ACD + \angle DAC = 180^{\circ} (Sum of the angles of \triangle ADC)
y +z + 30° =180°
y + 50^{\circ} + 30^{\circ} = 180^{\circ} (z = 50^{\circ})
y = 180^{\circ} - 80^{\circ}
y = 100°
Therefore, we can conclude that the required angles are 80°, 50° and 100°.
(iv) In \triangle ABC and \triangle ADE we have:
```

∠ADE = ∠ABC (Corresponding angles)

y = 50°

```
Also, \angle AED = \angle ACB (Corresponding angles)
```

z = 40°

We know that the sum of all the three angles of a triangle is equal to 180°.

Which means: $x + 50^{\circ} + 40^{\circ} = 180^{\circ}$ (Angles of $\triangle ADE$)

 $x = 180^{\circ} - 90^{\circ}$

x = 90°

Therefore, we can conclude that the required angles are 50° , 40° and 90° .

Question: 16

If one angle of a triangle is 60° and the other two angles are in the ratio 1: 2, find the angles

Solution:

We know that one of the angles of the given triangle is 60°. (Given)

We also know that the other two angles of the triangle are in the ratio 1: 2.

Let one of the other two angles be x.

Therefore, the second one will be 2x.

We know that the sum of all the three angles of a triangle is equal to 180°.

 $60^{\circ} + x + 2x = 180^{\circ}$ $3x = 180^{\circ} - 60^{\circ}$ $3x = 120^{\circ}$ x = 120/3 $x = 40^{\circ}$ $2x = 2 \times 40$ $2x = 80^{\circ}$ Hence, we can conclude that the required angles are 40° and 80° .

Question: 17

It one angle of a triangle is 100° and the other two angles are in the ratio 2: 3. find the angles.

Solution:

We know that one of the angles of the given triangle is 100°.

We also know that the other two angles are in the ratio 2: 3.

Let one of the other two angles be 2x.

Therefore, the second angle will be 3x.

We know that the sum of all three angles of a triangle is 180°.

 $100^{\circ} + 2x + 3x = 180^{\circ}$ $5x = 180^{\circ} - 100^{\circ}$ $5x = 80^{\circ}$ x = 80/5 $2x = 2 \times 16$ $2x = 32^{\circ}$ $3x = 3 \times 16$ $3x = 48^{\circ}$

Thus, the required angles are 32° and $48^\circ.$

Question: 18

In $\triangle ABC$, if $3 \angle A = 4 \angle B = 6 \angle C$, calculate the angles.

Solution:

We know that for the given triangle, $3 \angle A = 6 \angle C$

∠A = 2∠C — (i)

We also know that for the same triangle, $4 \ge B = 6 \ge C$

 $_{\angle}B = (6/4)_{\angle}C - (ii)$

We know that the sum of all three angles of a triangle is 180°.

Therefore, we can say that:

 $\angle A + \angle B + \angle C = 180^{\circ}$ (Angles of $\triangle ABC$) — (iii)

On putting the values of ${\scriptstyle \angle}A$ and ${\scriptstyle \angle}B$ in equation (iii), we get:

 $2_{\angle}C + (6/4)_{\angle}C +_{\angle}C = 180^{\circ}$

(18/4) ∠C = 180°

∠C = 40°

From equation (i), we have:

 $\angle A = 2 \angle C = 2 \times 40$

∠A = 80°

From equation (ii), we have:

 $_{\angle}B = (6/4)_{\angle}C = (6/4) \times 40^{\circ}$

∠B = 60°

 $\angle A = 80^\circ, \angle B = 60^\circ, \angle C = 40^\circ$

Therefore, the three angles of the given triangle are 80°, 60°, and 40°.

Question: 19

Is it possible to have a triangle, in which

(i) Two of the angles are right?

(ii) Two of the angles are obtuse?

(iii) Two of the angles are acute?

(iv) Each angle is less than 60°?

(v) Each angle is greater than 60°?

(vi) Each angle is equal to 60°

Solution:

Give reasons in support of your answer in each case.

(i) No, because if there are two right angles in a triangle, then the third angle of the triangle must be zero, which is not possible.

(ii) No, because as we know that the sum of all three angles of a triangle is always 180°. If there are two obtuse angles, then their sum will be more than 180°, which is not possible in case of a triangle.

(iii) Yes, in right triangles and acute triangles, it is possible to have two acute angles.

(iv) No, because if each angle is less than 60° , then the sum of all three angles will be less than 180° , which is not possible in case of a triangle.

Proof:

Let the three angles of the triangle be $\angle A$, $\angle B$ and $\angle C$.

As per the given information,

∠A < 60° ... (i)

∠B< 60° ... (ii)

∠C < 60° ... (iii)

On adding (i), (ii) and (iii), we get:

 $_{\angle}A + _{\angle}B + _{\angle}C < 60^{\circ} + 60^{\circ} + 60^{\circ}$

 $_{\angle}A + _{\angle}B + _{\angle}C < 180^{\circ}$

We can see that the sum of all three angles is less than 180° , which is not possible for a triangle.

Hence, we can say that it is not possible for each angle of a triangle to be less than 60°.

(v) No, because if each angle is greater than 60° , then the sum of all three angles will be greater than 180° , which is not possible.

Proof:

Let the three angles of the triangle be $\angle A$, $\angle B$ and $\angle C$. As per the given information,

∠A > 60° ... (i)

∠B > 60° ... (ii)

∠C > 60° ... (iii)

On adding (i), (ii) and (iii), we get:

 $\angle A + \angle B + \angle C > 60^{\circ} + 60^{\circ} + 60^{\circ}$

 $\angle A + \angle B + \angle C > 180^{\circ}$

We can see that the sum of all three angles of the given triangle are greater than 180°, which is not possible for a triangle.

Hence, we can say that it is not possible for each angle of a triangle to be greater than 60°.

(vi) Yes, if each angle of the triangle is equal to 60° , then the sum of all three angles will be 180° , which is possible in case of a triangle.

Proof:

Let the three angles of the triangle be $\angle A$, $\angle B$ and $\angle C$. As per the given information,

∠A = 60° ... (i)

∠B = 60° ...(ii)

∠C = 60° ... (iii)

On adding (i), (ii) and (iii), we get:

 $\angle A + \angle B + \angle C = 60^{\circ} + 60^{\circ} + 60^{\circ}$

∠A + ∠B + ∠C =180°

We can see that the sum of all three angles of the given triangle is equal to 180°, which is possible in case of a triangle. Hence, we can say that it is possible for each angle of a triangle to be equal to 60°.

Question: 20

In $\triangle ABC$, $\angle A = 100^{\circ}$, AD bisects $\angle A$ and AD perpendicular BC. Find $\angle B$



Solution:

Consider $\triangle ABD$ $\angle BAD = 100/2$ (AD bisects $\angle A$) $\angle BAD = 50^{\circ}$

```
\angle ADB = 90^{\circ} (AD perpendicular to BC)
```

We know that the sum of all three angles of a triangle is 180°.

Thus,

```
\angle ABD + \angle BAD + \angle ADB = 180^{\circ} (Sum of angles of \triangle ABD)
```

Or,

∠ABD + 50° + 90° = 180°

∠ABD =180° – 140°

∠ABD = 40°

Question: 21

In $\triangle ABC$, $\angle A = 50^{\circ}$, $\angle B = 100^{\circ}$ and bisector of $\angle C$ meets AB in D. Find the angles of the triangles ADC and BDC



Solution:

We know that the sum of all three angles of a triangle is equal to 180°.

Therefore, for the given $\triangle ABC$, we can say that: $_{2}A + _{2}B + _{2}C = 180^{\circ}$ (Sum of angles of $\triangle ABC$)

50° + 70° + ∠C = 180° ∠C= 180° –120° ∠C = 60° $\angle ACD = \angle BCD = \angle C2$ (CD bisects $\angle C$ and meets AB in D.) ∠ACD = ∠BCD = 60/2= 30° Using the same logic for the given $\triangle ACD$, we can say that: ∠DAC + ∠ACD + ∠ADC = 180° 50° + 30° + ∠ADC = 180° ∠ADC = 180°- 80° ∠ADC = 100° If we use the same logic for the given $\triangle BCD$, we can say that $\angle DBC + \angle BCD + \angle BDC = 180^{\circ}$ 70° + 30° + ∠BDC = 180° ∠BDC = 180° - 100° ∠BDC = 80° Thus, For $\triangle ADC$: $\angle A = 50^\circ$, $\angle D = 100^\circ \angle C = 30^\circ$ \triangle BDC: \angle B = 70°, \angle D = 80° \angle C = 30°

Question: 22

In $\triangle ABC$, $\angle A = 60^{\circ}$, $\angle B = 80^{\circ}$, and the bisectors of $\angle B$ and $\angle C$, meet at O. Find

(i) ∠C

(ii) ∠BOC



Solution:

We know that the sum of all three angles of a triangle is 180°.

Hence, for $\triangle ABC$, we can say that:

 $\angle A + \angle B + \angle C = 180^{\circ}$ (Sum of angles of $\triangle ABC$)

60° + 80° + ∠C= 180°.

∠C = 180° – 140°

∠C = 140°.

For $\triangle OBC$,

```
\angle OBC = \angle B2 = 80/2 (OB bisects \angle B)
```

```
∠OBC = 40°
```

```
\angle OCB = \angle C2 = 40/2 (OC bisects \angle C)
```

```
∠OCB = 20°
```

If we apply the above logic to this triangle, we can say that:

 $\angle OCB + \angle OBC + \angle BOC = 180^{\circ}$ (Sum of angles of $\triangle OBC$)

20° + 40° + ∠BOC = 180°

∠BOC = 180° - 60°

∠BOC = 120°

Question: 23

The bisectors of the acute angles of a right triangle meet at O. Find the angle at O between the two bisectors.





We know that the sum of all three angles of a triangle is 180°.

Hence, for $\triangle ABC$, we can say that:

 $\angle A + \angle B + \angle C = 180^{\circ}$ $_{\angle}A + 90^{\circ} + _{\angle}C = 180^{\circ}$ ∠A + ∠C = 180° – 90° ∠A + ∠C = 90° For ∆OAC: $\angle OAC = \angle A2$ (OA bisects LA) ∠OCA =∠C2 (OC bisects LC) On applying the above logic to riangle OAC, we get: $\angle AOC + \angle OAC + \angle OCA = 180^{\circ}$ (Sum of angles of $\triangle AOC$) ∠AOC + ∠A2 + ∠C2 = 180° $\angle AOC + \angle A + \angle C2 = 180^{\circ}$ ∠AOC + 90/2 = 180° ∠AOC = 180° – 45° ∠AOC = 135°

Question: 24

In \triangle ABC, \angle A = 50° and BC is produced to a point D. The bisectors of \angle ABC and \angle ACD meet at E. Find \angle E.



Solution:

In the given triangle,

 $\angle ACD = \angle A + \angle B$. (Exterior angle is equal to the sum of two opposite interior angles.)

We know that the sum of all three angles of a triangle is 180°.

Therefore, for the given triangle, we can say that:

 $\angle ABC + \angle BCA + \angle CAB = 180^{\circ} \text{ (Sum of all angles of } \triangle ABC \text{)}$ $\angle A + \angle B + \angle BCA = 180^{\circ}$ $\angle BCA = 180^{\circ} \cdot (\angle A + \angle B \text{)}$ $\angle ECA = \frac{\angle ACD}{2} \quad (\text{EC bisects } \angle ACD \text{)}$ $\angle ECA = \frac{\angle A + \angle B}{2} \quad (\angle ACD = \angle A + \angle B \text{)}$ $\angle EBC = \frac{\angle ABC}{2} = \frac{\angle B}{2} (EBbisects \angle ABC)$ $\angle ECB = \angle ECA + \angle BCA$ $\angle ECB = \frac{\angle A + \angle B}{2} + 180^{\circ} - (\angle A + \angle B)$ If we use the same logic for $\triangle EBC$, we can say that : $\angle EBC + \angle ECB + \angle BEC = 180^{\circ} \text{ (Sum of all angles of } \triangle EBC \text{)}$ $\angle BEC = \angle A + \angle B - (\frac{\angle A + \angle B}{2} - \frac{\angle B}{2}$ $\angle BEC = \angle A + \angle B - (\frac{\angle A + \angle B}{2} - \frac{\angle B}{2}$

 $\angle BEC = \frac{50^{\circ}}{2} = 25^{\circ}$

Question: 25

In $\triangle ABC$, $\angle B = 60^{\circ}$, $\angle C = 40^{\circ}$, AL perpendicular BC and AD bisects $\angle A$ such that L and D lie on side BC. Find $\angle LAD$



Solution:

We know that the sum of all angles of a triangle is 180°

Therefore, for $\triangle ABC$, we can say that:

 $\angle A + \angle B + \angle C = 180^{\circ}$ or, $\angle A + 60^{\circ} + 40^{\circ} = 180^{\circ}$ $\angle A = 80^{\circ}$ $\angle DAC = \frac{\angle A}{2} \quad (AD \text{ bisects } \angle A)$ $\angle DAC = \frac{80^{\circ}}{2}$ If we use the above logic on $\triangle ADC$, we can say that : $\angle ADC + \angle DCA + \angle DAC = 180^{\circ} \text{ (Sum of all the angles of } \triangle ADC)$ $\angle ADC + 40^{\circ} + 40^{\circ} = 180^{\circ}$ $\angle ADC = 180^{\circ} + 80^{\circ}$ $\angle ADC = 180^{\circ} + 80^{\circ}$ $\angle ADC = 2 \angle ALD + \angle LAD \text{ (Exterior angle is equal to the sum of two Interior opposite angles.)}$ $100^{\circ} = 90^{\circ} + \angle LAD \quad (AL \text{ perpendicular toBC})$ $\angle LAD = 90^{\circ}$

Question: 26

Line segments AB and CD intersect at O such that AC perpendicular DB. It $_{2}CAB = 35^{\circ}$ and $_{2}CDB = 55^{\circ}$. Find $_{2}BOD$.



Solution:

We know that AC parallel to BD and AB cuts AC and BD at A and B, respectively.

```
∠CAB = ∠DBA (Alternate interior angles)
```

```
∠DBA = 35°
```

We also know that the sum of all three angles of a triangle is 180°.

Hence, for $\triangle OBD$, we can say that:

∠DBO + ∠ODB + ∠BOD = 180°

 $35^{\circ} + 55^{\circ} + \angle BOD = 180^{\circ} (\angle DBO = \angle DBA \text{ and } \angle ODB = \angle CDB)$

∠BOD = 180° - 90°

∠BOD = 90°

Question: 27

In Figure, $\triangle ABC$ is right angled at A, Q and R are points on line BC and P is a point such that QP perpendicular to AC and RP perpendicular to AB. Find $_{2}P$



Solution:

In the given triangle, AC parallel to QP and BR cuts AC and QP at C and Q, respectively.

 \angle QCA = \angle CQP (Alternate interior angles)

Because RP parallel to AB and BR cuts AB and RP at B and R, respectively,

 $\angle ABC = \angle PRQ$ (alternate interior angles).

We know that the sum of all three angles of a triangle is 180°.

Hence, for $\triangle ABC$, we can say that:

 $\angle ABC + \angle ACB + \angle BAC = 180^{\circ}$

 $\angle ABC + \angle ACB + 90^{\circ} = 180^{\circ}$ (Right angled at A)

 $\angle ABC + \angle ACB = 90^{\circ}$

Using the same logic for $\triangle PQR$, we can say that:

 \angle PQR + \angle PRQ + \angle QPR = 180°

 $\angle ABC + \angle ACB + \angle QPR = 180^{\circ} (\angle ABC = \angle PRQ \text{ and } \angle QCA = \angle CQP)$

Or,

90°+ ∠QPR =180° (∠ABC+ ∠ACB = 90°)

∠QPR = 90°